

Spare parts

Shibaaura








**Catalogue
2021**

CARREZ LÉON
PIECES DE TRACTEUR JAPONAIS

Tél : 06 27 20 08 73


Email : carrezpneus@wanadoo.fr











spare parts SHIBAURA







| | | |
|---|---------------|--|
|  | S-11114-6081 | head gasket/joint de culasse SD1540 SD1840 SD1503 (ex 95-01-323) 80mm |
| | S-11099-6030 | gasket oil pan/joint carter(S-06-105) |
|  | S-31499-0012 | gasket muffler/joint pot echap. SD1540, SD2200 |
| | S-14599-6040 | gasket thermo SD1840 |
| | S-11099-6150 | gasket oil gauge |
|  | S-523-201-61 | piston SD1540 80mm P25 C45 115316230 |
| | S-11531-6240 | piston+0,50 SD1800 (40) (ex TI-95-02-007) |
| | S-02-215 | liner/chemise Sd1540 |
|  | S-626-100-56 | rings /segments SD1540 80mm 3Kx2.5x2.5x4 115106250 |
| | S-11510-6260 | « « « SD1540 80.50mm 3Kx2.5x2.5x4 |
| | S-01210-9029 | head bolt/vis de culasse SD1800 |
|  | S-11114-6023 | head gasket/joint de culasseSD2200 (SD2000) LET852 85mm |
| | S-16599-6041 | gasket timing cover SD2200 |
| | S-11099-6030 | gasket oil pan/joint carter SD2200 |
|  | S-523-201-62 | pistonSD2200 85mm (115316940) |
| | S-626-100-57 | rings /segments SD2200 85 3x2.75x2.75x4 (11510-6040) |
| | S-LET852-16 | liner/chemise SD2200 (ex S-02-216) |
| | | |
|  | S-12016-6081 | valve in/soupape asp. 8x38x117 |
| | S-12017-6081 | valve ex/soupapeech. 8x32x117 |
|  | S-19851-6091 | con rod bearing/coussintebielle Std SD2200 60x26.5 |
| | S-19851-6480 | « « « « « 0.25 SD2200 60x26.5 |
| | S-19851-6490 | « « « « « 0.50 SD2200 |
|  | S-19851-6050 | bush crank/baguevbq STDS1540-SD2200 68x32 |
| | S-19851-6460 | « « « « 0.25 SD1540-SD2200 |
| | S-19851-6470 | « « « « 0.50 SD1540-SD2200 |
|  | S-06-279 | seal crank front/joint vbq ant. SD 40-58-9 S-19863-640 AE2369E |
| | S-06-350 | seal crank rear/ joint vbq post. SD 50-72-12R(70-06-490) S-19863-650 AE2864A |
|  | S-11114-6140 | head gasket/joint de culasse elliptic holes 77-81,5mm SU1301, SU1341 (ex TI-95-01-308) |
| | S-SU1341-2 | « « « « elliptic holes 81-84mm SU1341 |
|  | S-LEK802-2 | « « « «SL1543 80mm piston |
| | S-LEK802 | piston rings/segments 80mm 2x2x2x4mm |
|  | S-12016-6090 | valve in/soupape asp.8x38x117 |
| | S-12017-6090- | valve ex/soupapeech. 8x32x117 |
|  | S-11099-6150 | gasket oil gauge |
| | S-14599-6050 | gasket thermo |





| | | |
|--|---------------|---|
| | S-11114-7110 | head gasket/joint de culasse E643 GT141 (103-06) |
| | S-11114-7660 | « « « « « E673 (New Holland) (103-07) |
| | S-S723-2 | head gasket/joint de culasse P15, SP1540, 72mm (74.5 joint) |
| | S-S753-2 | « « « « « P17, SP1740 76mm |
| | S-S753-4 | set gaskets/pochette joints S753 w/o head gaskets and crank seals |
| | S-S753-5 | gasket timing cover P15-17 |
| | S-S753-6 | gasket oil pan/joint carter 15-P17 |
| | S-12040-6070 | valve stem seal (set 8pcs) S753 |
| | S-05210-9061G | S753 |
| | S-11199-6271G | S753 |
| | S-19863-6090 | 25x42x7 |
| | S-S753-13A | 75mm S753 SP2140 |
| | S-523-201-42 | piston SP1740 P17 (S753) 75 P21 C25mm |
| | S-S753-11T | rings/segments SP1740 TR 75mm 2x1.5x4 |
| | S-19858-6020 | con rod bearing/coussinet bielle set STD S723-753 40x17.5 set (3 pairs) |
| | S-19858-6010 | main bearing/coussinet vilebrequin/ STD S723-753 47x15.5 set(3 pairs) |
| | S-19851-7080G | 46x50x22.5mm STD |
| | S-11502-6191 | con rod assy/bielle S723-S753 42x21x82mm |
| | S-J773-2 | head gasket/joint de culasse J773 77mm |
| | S-J774-2 | head gasket/joint de culasse 77mm J774 D32(ex TI-95-J774-2) |
| | S-J774-2A | head gasket/joint de culasse 80mm J774 (1.2mm) |
| | S-J774-13 | piston 77mm D32, 77mm |
| | S-J774-11 | rings/segments D5F, D26 77mm 2x1.5x4 |
| | S-198586020G | STDJ773, S753 OEM 40x17.5 |
| | S-198586024 | 010 J773 |
| | S-198586040G | STD J773 OEM 58x19.5mm |
| | S-11114-6750 | head gasket/joint de culasse SL1603 SL1643 (K713) 72mm piston |
| | S-19926-6060 | thrust bearing /calage SL1643 |
| | S-LEH822-11 | rings/segments SL1703 LEH822, 82mm 2x2x2x4 |
| | S-LEM754-2 | head gasket/joint de culasse SD3000 75mm piston |
| | S-LEM754-13 | piston SD3000 75mm P25 C44.40mm |
| | S-LEM754-11 | rings/segments 75mm SD3000 2.5kx2x2x4 |
| | S-11114-6661 | head gasket/joint de culasse SD1603 (78 joint) |







| | | |
|--|---------------|--|
| | S-H763-2 | head gasket/joint de culasse oval 78-84 joint SD1843 |
| | S-11531-7161 | pistonSD1603/803H763-1 76mm P25 C35.5 |
| | S-11510-7030 | Ελατ/rings/segments SD1603 -1803 H76376mm 2x2x2x4 |
| | S-11114-6561 | head gasket/joint de culasse SD2003, SD2203 SD2403, SD2843 (84mm) |
| | S-11531-7132 | Πιστόνι/pistonSD2003 SD2403 SD2803 84mm P25 C35mm |
| | S-LEM853-2 | head gasket/joint de culasse SD2600,SD2603, SD2640 85mm |
| | S-11099-6350 | gasket oil pan/joint carter |
| | S-523-201-63 | pistonSD2640 85mm LEM853 |
| | S-626-100-58 | Ελατ/rings/segments SD2640 85mm 2.5kx2x2x4 |
| | S-12016-6092 | valve in/soupape asp. 8x38x117 |
| | S-12017-6093 | valve ex/soupapeech. 8x32x117 |
| | S-11114-6135 | head gasket/joint de culasse SD4043, SD4643 90mm joint |
| | S-11114-6780 | « « « « « « SD4043, SD46430 90mm joint |
| | S-11114-6780A | « « « « « SD4043, SD4643 86.5mm joint |
| | S-LEM854-4 | gasket full set SD4043, SD46343 |
| | S-12040-6040 | valve seal/joint soupape 8x14x12 |
| | S-31499-0012 | gasket muffler Sd4643xx |
| | S-14099-6070 | seal oil duct SD4643 |
| | S-14599-6050 | gasket thermo side |
| | S-14599-6210 | gasket thermo up |
| | S-LEM854-6 | oil pan SD4046 |
| | S-LEM854-5 | SD4046 |
| | S-11531-6910 | piston85mm SD4043 85mm P32mm C40 |
| | S-LEP854-13A | piston85mm SD4043 85mm +rings |
| | S-11510-6820 | rings/segments 85mm SD4043 2.5cx2x2x4 |
| | S-11012-6160 | liner/chemise wet finished 85mm SD4643 |
| | S-052300-0900 | seal liner/joint chemise SD4643 |
| | S-12016-6082 | valve in/soupape asp.8x38x117 |
| | S-12017-6082 | valve ex/soupapeech. 8x32x117 |
| | S-19851-6091 | con rod bearing/coussinetbielle STD 60x26 mm |





| | | |
|---|--------------|--|
|  | S-19851-6480 | « « « « « « 0.25 Sd1840/SD2200 |
| | S-19851-6490 | « « « « « « 0.50 |
| | S-19851-6770 | main bearing/coussinetvbq STD SD1803 SD4043 68x19 |
| | S-19851-6780 | « « « « « « 0.25SD1803 SD4043 |
| | S-19851-6790 | « « « « « « 0.50 SD1803 SD4043 |
| | S-19851-6050 | bush crank/baguevbq STD 68x32 |
| | S-19851-6460 | « « « « « « 0.25 68x32 |
| | S-19851-6470 | « « « « « « 0.50 68x32 |




| | | |
|---|--------------|---|
|  | S-N843-2 | head gasket/joint de culasse P19,21,23, D25885mm (ex S-J843-2) |
| | S-N843-4 | gasket set full/pochette joints N843 HW (ex S-N843-4) |
| | S-N843-6 | N843 3cyl/oilpangasket |
|  | S-N843-5 | gasket timing cover P19-P21 |
|  | S-N843-6 | gasket oil pan/joint carter P19, P21 |
|  | S-ND843 | head gasket/joint de culasse N843 |
| | S-ND843-4 | gasket set full/pochette joints N843 |
|  | S-N843-N-2 | head gasket/joint de culasse N843-N |
|  | S-11114-7741 | head gasket/joint de culasse metal 404C-22 1mm |
| | S-11114-7751 | head gasket/joint de culasse metal 404C-22 1.6mm |
|  | S-N844-4 | gasket set full/pochette joints N844 (404C) |
| | S-N844T | N844 σε N844T |
| | S-N843-16 | liner/chemise N843 84mm |
| | S-N844-5A | gasket timing extN844 |
| | S-N844-5B | gasket timing int N844 |
| | S-N844-6 | gasket oil pan/joint carter N844 |
|  | S-N843-45 | head/culasse 403C perkins N843 320x185x75 |
|  | S-N844-45 | head/culasse 404C perkins N844 |
| | S-N844-45T | head/culasse 404C perkins N844 Turbo |
|  | S-523-201-43 | piston P19F=P21F(J843) 84mm |
| | S-523-201-46 | « « D258F (N843) 84mm Perkins |
| | S-N844-13 | « «N844 84mm (2x1.5x4) P28C33.7 club 58mm |
| | S-N844-13A | « « N844 piston KIT P28 C33.8 club 58mm (2.5x2x4) |
| | S-N844T-13 | « « N844 84mm turbo (2Kx1.5x3) P28 C33.8 D58mm |

| | | |
|---|--------------|--|
| | S-N844-14 | « « N844 84.5mm turbo (2Kx1.5x3) P28 C33.8 |
| | S-NT844-13 | « « « « NT844 84mm STD 2x1.5x4 P28C33.7 club diameter 53mm N Holland HSH0014084000 |
| | S-N844LT-13 | « « « « N844 84mm (2Kx1.5x3) P28 C40.2 big flower |
|  | S-N843-11T | rings/segments N843 2x1,75x4 |
| | S-N844LT-11 | « « N844 84mm 2Kx1.5x3 RIK (for N844T piston) |
| | S-N844-11 | « « N844 84mm 2x1.5x4 RIK (for N844 piston) |
| | S-N844L-11 | « « N844 84mm 2x1.5x3 RIK (for N844L piston) |
| | S-N844-12 | « « N844 2x1.5x4 |
|  | S-N844-20 | con rod bearing/coussinet bielle STD 52x56.5x20 RB4404A |
| | S-N844-21 | « « « « « « 010527001 52x56.5x20 |
| | S-N844-22 | « « « « « « 020527001 52x56.5x20 |
| | S-N844-25 | set/main bearing set/ jeu coussinet vilebrequin STD 68x72x19,50 MB5444A |
| | S-N844-26 | « « « « 010 68x72x19,50 |
| | S-N844-27 | « « « « 020 68x72x19,50 |
| | S-N844-30 | thrust/coussinet/calage N844 |
| | S-N844-38 | con rod bush/baguevbq N844 |
| | S-N844-8 | seal crank front 35x55x11 |
|  | S-N844-9A | seal crank rear P&D 90x110x154x13 |
| | S-N844-9 | « « « « « « P15-17 SP1740 68x94x124x13 |
| | S-N844L-9 | « « « « « « 90x170x13 |
|  | S-N844-17 | valve in/soupape asp.NT844 TW 34x7x98 |
| | S-N844-18 | valve ex/soupapeech. NT844 TW 30x7x98 |
| | S-N844-17A | valve in/soupape asp NT844 TW 37x7x99.7 |
| | S-N844-18A | valve ex/soupapeech.NT844 TW 34x7x99.7 |
|  | S-11525-6990 | crankshaft/vilebrequin404C , N844LT(113.5mm) |
| | S-11526-6152 | crankshaft/vilebrequin LEP854 SD4640 |
|  | | gasket oil pan/joint carter 30x22cm |
| | | « « « « « « 35x25.5cm |

| | | |
|---|-------------|--|
|  | S-04-007 | nozzle/nezd'injecteur SD1800(40) (131416010) |
|  | S-131406500 | perkins 400 |
| | S-131406440 | perkins 400 |
|  | S-07-001 | RPM cable/cable compteur SD2200 |
|  | S-615-205R | pump hydraulict/min RightSD1540 (340450071) |





| | | |
|--|--------------|--|
|  | S-9185 | diesel pump/pompe a go Shibauro perkins series 100 |
|  | S-130506350 | diesel pump/pompe a go N843, B844 |
|  | S-485510011 | diesel pump/pompe a go Perkins 100 and 400 |
|  | S-05-108 | filter oil/filtre a huile SD2200, SD3000 3/4x16S 14051-6010 (JO-252) |
| | S-13532-6206 | filter air/filtrea air 404 perkins |
|  | S-08-403 | filter air/filtrea air SD1800(40) SD2200 (31453-0261) |
|  | S-05-505 | Φίλτρο πετρελαίου/ filter fuel/filtre a go SD (TI-4-1801)(360720030) |







| | | |
|---|--------------|--|
|  | H-06-010 | valve seal/joint soupapeSD1840 8x13x13(ex 95-06-010) |
| | S-06-006 | « « « SD ~7x12x9.5 |
| | S-J774-41 | « « « D32 J774 |
|  | S-06-708 | water pump seal/joint d;etainchete SD1600 |
|  | I-90-02-405 | water pump bearing SD1500(40)13x35x18 |
| | K-523-105-01 | « « SD1800(40)12-30-16 885166K-3a |
| | S-885147 | « « 12.7x30x16 |
|  | S-BWF-40-17 | « « 13x40x18 |

| | | |
|---|---------------------------|--|
|  | S-SIMIS-40 | water pump/pompe a eau New Holland, Volvo Penta, Perkins N844, P19, P21F, P23, D23, D28F, D258, S455, Caterpillar 3024 (B311-0053) |
|  | S-S753-40 | water pump/pompe a eau SP1740, SP1840, P15, P17 |
|  | S-LEH802-40 (TI-95-60292) | water pump/pompe a eau SD1540, SD1840 (SD1540) (ex TI-LEH802-40) 145016100 |

| | | |
|---|--------------|---|
| | S-14599-6040 | gasket thermo.SD1540, SD1840 |
|  | S-14501-6032 | water pump/pompe a eau SD2200 SD3540 |
|  | S-14501-6170 | water pump/pompe a eau SD1603, SD1803, SD2243, SD2043 (ex TI-H843-40) |
|  | S-14501-6032 | water pump/pompe a eau(Ford 1600) (67832) SD2000, SD2200, Sd3540 (ex TI-95-67832) |
|  | S-14501-6221 | water pump/pompe a eau SD3203, SD3243, DG3903, SD3943 |
|  | S-14501-6211 | water pump/pompe a eau SD4003, SD4043 |
|  | S-68369 | water pump/pompe a eau SU1341 |
| | S-14501-7151 | water pump/pompe a eau E673, E643 |
|  | S-14520-6010 | thermostat/calorstat 54mm SD4043 |
| | S-14520-6020 | « « « 54mm 60oC SL1643,SU1300,SD2200 |
| | S-14520-6182 | « « « 44mm N844L-C, N844LT-C |
| | S-14520-6230 | « « « 48mm 82Co |
| | S-14599-6210 | gasket thermostat |
| | S-14522-6030 | thermost. Cover SL1643 75KK 32mm neck |
|  | S-38572-0030 | thermosensorSL1643 16x1.5 |
|  | S-09-164 | cap radiator/bouchon radiateur |
|  | S-20-004 | hose radiator upper/ durite radiateur supSP1540 |
|  | S-3101-60450 | hose radiator upper/ durite radiateur sup SD1843 (S-20-006) |
| | S-11099-6150 | gasket oil gauge/joint indicateurhuile Su1300 |
|  | S-12-950 | voltage regulator/regulateur de tension SD |

| | | |
|---|----------------------------------|--|
|  | S-18504-60650 | voltage regulator/regulateur de tension LEK752 |
| | S-18551-6060 | « « « « « P15, P17 |
| | S-18504-6500 | « « « « « N844L |
| | S-18504-6050 | « « « « « SU1500, Su1540, SI1503, LEK802 |
|  | K-4433 | glowplug/ bougie de prechauffage SL1603 |
|  | S-95-04-111 | glowplug/bougie de prechauffage SD2200 S 13140-6010 |
|  | S-95-04-114 | « « « SD3000A |
| | S-95-04-114A | « « « P15, P15F SD2843, P17, SP1740, P21 |
|  | I-90-Y107R | « « « « « D228 S4L (ex 90-04-107) (5650-040-1621-0) |
|  | S-P19-77 | lamp/feu P19, P21F |
|  | S-18504-6170 | Dynamo SP1500 SP1740 |
|  | S-18504-6160 | Dynamo P15, P17 |
|  | I-823-100-01 (ex 723-113-02L) | tie rod end/rotule LH TS (17mm thread x cone 12.7-13,20mm) 1421-403-0040-1 |
| | I-823-100-02 (ex 723-113-01R) | tie rod end/rotuleRH TS (17mm thread x cone 12.7-13,20mm) 1421-406-0050-1 |

| | | |
|---|-------------------------------|---|
|  | I-90-32002 (ex TI-90-2512) | disc clutch/disqueembrayage 184' x 18T (20mm) S320, 2160 TX1510 TU1400- 1500 TM17 |
|  | S-4584 | discclutch/ disqueembrayage 225mm 16T (30mm) |
|  | S-3204-50071 | clutch cover/mecanisme SU1300, SU1301 |
|  | S-185246180 | oil switch/interrupteurhuile 403C 404C -22 |

| | | |
|---|--------------|--|
| | S-185246290 | « « « « 404 |
|  | S-185086600 | starter/demareur N844 Perkins 404C-22 |
|  | S-HD46645870 | alternator 403C 12V 65A |
|  | S-165026120 | pump oil/pompe a huile Shibaura 403-15G J773N843, N844 (USMK8267) 60mm |
| | S-UMK8266 | pump oil/pompe a huile Shibaura 403-15G N843, N844 52mm |
|  | S-U85206520 | solenoid N844 Shibaura Perkins 404D-22 |
|  | S-U85206451 | solenoid Shibaura Perkins 13KVA 403 nd 404 (Mxl-1520) Perkins 700 |
|  | S-21175959 | solenoid Volvo Penta TAD520GE, TAD720GE |
| | S-2848A275 | solenoid |
| | S-2848A278 | « « « « perkins |
| | S-P19-100 | lamp/feu P19-P21F |